

L Number	Hits	Search Text	DB	Time stamp
-	2	5627775.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 21:51
-	191	(second plurality "at least one" "at least two") near3 (random\$4 near3 source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 20:41
-	15	(second plurality "at least one" "at least two") near3 (random\$4 near3 source) and ((sav\$4 disk memory) with random\$4 with bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 20:54
-	15	(second plurality "at least one" "at least two") near3 (random\$4 near3 source) and ((sav\$4 disk memory file) with random\$4 with bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:00
-	1298	(second two plurality "at least one" "at least two") near3 (random\$4 near3 source generator) and ((sav\$4 disk memory file) with random\$4 with bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:01
-	3	(second two plurality "at least one" "at least two") near3 (random\$4 near3 source generator) and ((sav\$4 disk memory) with file with random\$4 with bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:03
-	4	(second two plurality "at least one" "at least two") near3 (random\$4 near3 source generator) and ((sav\$4 disk memory) same file with random\$4 with bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:04
-	83	(second two plurality "at least one" "at least two") near3 (random\$4 near3 source generator) and ((readable availab\$4) with random\$4 with bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:05
-	12	(second two plurality "at least one" "at least two") near3 (random\$4 near3 source generator) and ((readable availab\$4) with random\$4 with (bits bitstream)) and ((display\$4 window) with (bits bitstream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:11
-	12	(second two plurality "at least one" "at least two") near3 (random\$4 near3 source generator) and ((readable availab\$4) with random\$4 with (bits bitstream)) and ((display\$4 window) with (bits bitstream)) and (sav\$4 disk memory file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:13
-	60	(second two plurality "at least one" "at least two") with (random\$4 with source generator) and ((readable availab\$4) same random\$4 with (bits bitstream)) and ((display\$4 window) with (bits bitstream)) and (sav\$4 disk memory file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:29

-	48	((second two plurality "at least one" "at least two") with(random\$4 with source generator) and ((readable availab\$4) same random\$4 with (bits bitstream)) and ((display\$4 window) with (bits bitstream)) and (sav\$4 disk memory file)) not ((second two plurality "at least one" "at least two") near3 (random\$4 near3 source generator) and ((readable availab\$4) with random\$4 with (bits bitstream)) and ((display\$4 window) with (bits bitstream)) and (sav\$4 disk memory file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:14
-	4606	(second two plurality "at least one" "at least two") with(random\$4 with source generator) and ((display\$4 window) with (bits bitstream)) and (sav\$4 disk memory file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:29
-	15	(second two plurality "at least one" "at least two") with(random\$4 with source generator) and ((display\$4 window) with (bits bitstream)) and (sav\$4 disk memory file) and provid\$4 with bit with user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:32
-	76	(second two plurality "at least one" "at least two") with(random\$4 with source generator) and ((display\$4 window) with (bits bitstream)) and (sav\$4 disk memory file) and (provid\$4 availab\$5) with bit with user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:36
-	61	((second two plurality "at least one" "at least two") with(random\$4 with source generator) and ((display\$4 window) with (bits bitstream)) and (sav\$4 disk memory file) and (provid\$4 availab\$5) with bit with user) not ((second two plurality "at least one" "at least two") with(random\$4 with source generator) and ((display\$4 window) with (bits bitstream)) and (sav\$4 disk memory file) and provid\$4 with bit with user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:32
-	17	(second two plurality "at least one" "at least two") with(random\$4 with source generator) and (provid\$4 availab\$5) with random with bit with (provid\$4 availab\$5) with (user person operator client customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:40
-	25	(second two plurality "at least one" "at least two") with(random\$4 with source generator) and (sav\$4 disk) with random with bit with (output\$4 generat\$4 produc\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 21:41
-	25	((second two plurality "at least one" "at least two") with(random\$4 with source generator) and (sav\$4 disk) with random with bit with (output\$4 generat\$4 produc\$4)) not ((second two plurality "at least one" "at least two") with(random\$4 with source generator) and (provid\$4 availab\$5) with random with bit with (provid\$4 availab\$5) with (user person operator client customer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:17
-	2	6236996.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:17
-	7948	distribut\$4 with random\$ with (number data bit bitstream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 10:21

-	3709	distribut\$4 near2 random\$ with (number data bit bitstream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 09:55
-	3488	((transmit\$4 transmission) near2 random\$ with (number data bit bitstream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 09:57
-	62	((distribut\$4 near2 random\$ with (number data bit bitstream)) and ((transmit\$4 transmission) near2 random\$ with (number data bit bitstream)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 09:57
-	31	((distribut\$4 near2 random\$ with (number data bit bitstream)) and ((transmit\$4 transmission) near2 random\$ with (number data bit bitstream))) and (process\$4 generat\$4) near2 random\$ with (number data bit bitstream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 09:58
-	437	((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream)) same (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) same (file disk memory cd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 10:29
-	43	((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream)) same (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) same (file disk cd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 11:42
-	43	((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream)) same (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) same (file disk cd) not (((distribut\$4 near2 random\$ with (number data bit bitstream)) and ((transmit\$4 transmission) near2 random\$ with (number data bit bitstream))) and (process\$4 generat\$4) near2 random\$ with (number data bit bitstream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 11:19
-	155	((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) same (file disk cd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 11:43
-	60	((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) with (file disk cd) and (second another two) with random\$ with (number data bit bitstream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 11:45
-	47	((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) with (file disk cd) and second with random\$ with (number data bit bitstream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:44

-	48	((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream code)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream code) with (file disk cd) and second with random\$ with (number data bit bitstream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:47
-	1	((((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream code)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream code) with (file disk cd) and second with random\$ with (number data bit bitstream)) not (((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) with (file disk cd) and second with random\$ with (number data bit bitstream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:47
-	104	((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) with (file disk cd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:57
-	199	((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4 provid\$4 retriev\$3 select\$4) near3 random\$ with (number data bit bitstream)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) with (file disk cd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:58
-	227	((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4 provid\$4 retriev\$3 select\$4) near3 random\$ with (number data bit bitstream code key)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream code key) with (file disk cd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:59
-	95	((((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4 provid\$4 retriev\$3 select\$4) near3 random\$ with (number data bit bitstream)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) with (file disk cd)) not (((distribut\$4 transmit\$4 transmission deliver\$4 sent send\$3 output\$4 receiv\$4) near3 random\$ with (number data bit bitstream)) and (sav\$3 stor\$4) near2 random\$ with (number data bit bitstream) with (file disk cd))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 13:32
-	116057	(sell\$3 purchas\$4 supply\$4) near3 (number data bit bitstream code key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 13:35
-	402	(sell\$3 purchas\$4 supply\$4) near3 random\$ near2 (number data bit bitstream code key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 13:36
-	376	(sell\$3 purchas\$4 supply\$4) near3 random\$ near2 (number data bit bitstream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 15:25

-	2588	(screen or window or gui or (graphical adj interface) (user adj interface) display\$4) near2 (information data rule parameter policy) with random\$ with (bit bitstream number value data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 15:29
-	33	(screen or window or gui or (graphical adj interface) (user adj interface) display\$4) near2 (information data rule parameter policy) with random\$ with (bit bitstream number value data) and (second adj window)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 15:33
-	8	(screen or window or gui or (graphical adj interface) (user adj interface) display\$4) near2 (information data rule parameter policy) with random\$ near2 (bit bitstream number value data) and (second adj window)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 10:27
-	45	random\$ near2 (bit bitstream number value data) with (screen window display\$4) with (download\$4 supply\$4 receiv\$4 send\$3 sent) same request\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 10:30
-	501	random\$ near2 (bit bitstream number value data) with (screen window display\$4) with (request\$4 download\$4 supply\$4 receiv\$4 send\$3 sent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 11:52
-	32	random\$ near2 (bit bitstream number value data) with (screen window display\$4) with (download\$4 supply\$4 receiv\$4 send\$3 sent) with request\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 10:37
-	13	(random\$ near2 (bit bitstream number value data) with (screen window display\$4) with (download\$4 supply\$4 receiv\$4 send\$3 sent) same request\$4) not (random\$ near2 (bit bitstream number value data) with (screen window display\$4) with (download\$4 supply\$4 receiv\$4 send\$3 sent) with request\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 10:37
-	104	(information) with (bit bitstream number value data) with (screen window display\$4) with (second adj window)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 11:54
-	48	(US-4095795-\$ or US-6099408-\$ or US-5732137-\$ or US-6684333-\$ or US-4959783-\$ or US-4527798-\$ or US-5627775-\$ or US-6678707-\$ or US-6415309-\$ or US-6529487-\$ or US-5345552-\$ or US-6282699-\$ or US-6058476-\$ or US-5367148-\$ or US-4157829-\$ or US-6688976-\$ or US-6678360-\$ or US-4358275-\$ or US-4521879-\$ or US-6466562-\$ or US-5326104-\$ or US-5478994-\$ or US-5898394-\$ or US-6678390-\$ or US-6349292-\$ or US-6195669-\$).did. or (US-3742199-\$ or US-6445797-\$ or US-6590929-\$ or US-4482861-\$ or US-5852665-\$ or US-6678665-\$ or US-6631418-\$ or US-4183088-\$ or US-4176399-\$ or US-6272223-\$ or US-6581078-\$ or US-6763364-\$ or US-5871400-\$).did. or (US-20030199294-\$ or US-20010025340-\$ or US-20030109306-\$ or US-20010003179-\$ or US-20020085041-\$ or US-20030028567-\$).did. or (DE-29917791-\$ or US-6151676-\$ or US-6014650-\$).did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT	2004/10/28 17:30

-	1	US-4959783-A.DID. and random\$ same file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 17:30
-	1	(US-4959783-A.DID. and random\$ same file) and random\$ same file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 17:30
-	8	((US-4095795-\$ or US-6099408-\$ or US-5732137-\$ or US-6684333-\$ or US-4959783-\$ or US-4527798-\$ or US-5627775-\$ or US-6678707-\$ or US-6415309-\$ or US-6529487-\$ or US-5345552-\$ or US-6282699-\$ or US-6058476-\$ or US-5367148-\$ or US-4157829-\$ or US-6688976-\$ or US-6678360-\$ or US-4358275-\$ or US-4521879-\$ or US-6466562-\$ or US-5326104-\$ or US-5478994-\$ or US-5898394-\$ or US-6678390-\$ or US-6349292-\$ or US-6195669-\$).did. or (US-3742199-\$ or US-6445797-\$ or US-6590929-\$ or US-4482861-\$ or US-5852665-\$ or US-6678665-\$ or US-6631418-\$ or US-4183088-\$ or US-4176399-\$ or US-6272223-\$ or US-6581078-\$ or US-6763364-\$ or US-5871400-\$).did. or (US-20030199294-\$ or US-20010025340-\$ or US-20030109306-\$ or US-20010003179-\$ or US-20020085041-\$ or US-20030028567-\$).did. or (DE-29917791-\$ or US-6151676-\$ or US-6014650-\$).did.) and random\$ same file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 14:56
-	7	"6014650"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 14:57